



Technical support: support@abbkine.com

Website: https://www.abbkine.com

Mouse M-CSF protein

Cat #: PRP1136 Size: 5µg/20µg/100µg/1mg

Product Information

	Product Name: Mouse M-CSF protein		
REF	Catalog Number: PRP1136	LOT	Lot Number: Refer to product label
	Purity: > 98 % as determined by SDS-PAGE		
Å	Storage: Store at -20°C		Preparation method: E.coli
	Shipping: The product is shipped at ambient temperature.		

Background: M-CSF (Macrophage colony-stimulating factor, CSF-1) is a survival factor essential for the proliferation and development of monocytes, macrophages, and osteoclast progenitor cells. M-CSF also induces VEGF (vascular endothelial growth factor) secretion by macrophages, thereby mediating mobilization of endothelial progenitor cells and neovascularization. M-CSF is present as several bioactive isoforms that differ in potency and stability. The full-length protein is synthesized as a membrane-spanning protein that can be expressed on the cell surface or further cleaved and modified in the secretory vesicle.

<u>Sequence</u>: Amino acid sequence derived from Mouse M-CSF (Lys33-Pro187)(P07141) was expressed with a Met at N-terminus.

Protein length: The secreted Mouse M-CSF consists of 155 amino acids and has a predicted molecular mass of 19 kDa.

Biological Activity: Measure by its ability to induce proliferation in NFS-60 cells. The ED₅₀ for this effect is <2 ng/mL.

Endotoxin: < 0.1 EU per μ g of the protein as determined by the LAL method.


Formulation: Lyophilized from sterile PBS, pH 8.0.

Storage Instructions: Lyophilized Mouse M-CSF protein product should be stored desiccated below -18°C. Upon reconstitution, the protein should be stored at 4 °C between 2-7 days and for future use below -18 °C. For long term storage it is recommended to add a carrier protein (5% HSA, 10%FBS or 0.1%BSA). Please prevent freeze-thaw cycles.

<u>Usage notes</u>: Always centrifuge tubes before opening. It is recommended to reconstitute the lyophilized protein to a concentration of 0.1-1 mg/mL in sterile ddH₂O, and keep at room temperature for at least 20 min to fully dissolve. Please



avoid vortex vigorously.



Note: The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product.

